



DISCLAIMER

This document or some parts of it may not be accessible when using adaptive technology.

If you require assistance with accessing the content of the document, please contact us and quote the document name and the web page you found it on:

- email: Planning – planning.admin@ashfield.gov.uk

						TrialPit No TP05 Sheet 1 of 1	
Project Name Newark Road			Project No. 46924		Co-ords: 451511.67 - 358478.16 Level: 156.50		Date 16/03/2022
Location: Sutton-in-Ashfield					Dimensions: 2.00m		Scale 1:25
Client: Harron Homes Limited					Depth: 4.10m		Logged

Samples & In Situ Testing			Depth (m)	Level (m AOD)	Legend	Stratum Description	
Depth (m)	Type	Results					
0.10	ES		0.15	156.35	   	TOPSOIL: Brown silty sandy CLAY with rootlets. Sand is fine.	
						MADE GROUND: Red grey brown silty slightly gravelly fine to medium SAND. Gravel of angular to sub angular fine to coarse sandstone [reworked].	1
			1.40	155.10		MADE GROUND: Dark grey reddish black slightly clayey silty sandy GRAVEL of angular fine to coare sandstone, brick, concrete, red shale, wood and ceramics with low to medium sandstone and brick cobble content.	2
2.10	ES						
			2.70	153.80		MADE GROUND: Reddish cream brown gravelly fine to medium SAND. Gravel of rounded to sub angular fine to coarse cream brown sandstone [reworked].	3
2.90	ES						
			4.10	152.40		Trialpit Complete at 4.100m	4

Remarks: 1. No groundwater encountered. 2. Trial pit terminated at 4.10 m in made ground.	
Stability: Unstable throughout.	

Project Name Newark Road	Project No. 46924	Co-ords: 451601.17 - 358505.39 Level: 159.10	Date 16/03/2022
Location: Sutton-in-Ashfield	Dimensions: 2.00m Depth: 2.20m		Scale 1:25
Client: Harron Homes Limited			Logged

Samples & In Situ Testing			Depth (m)	Level (m AOD)	Legend	Stratum Description
Depth (m)	Type	Results				
0.10	ES					TOPSOIL: Brown silty clayey fine to medium SAND with rootlets.
			0.40	158.70		
0.60	ES					MADE GROUND: Very dark grey slightly sandy GRAVEL with organic odour. Gravel of angular fine to coarse brick, red shale, sandstone and concrete.
1.20	ES					
			2.10	157.00		
			2.20	156.90		MADE GROUND: Grey concrete slab. Recovered as grey silty GRAVEL of angular fine to coarse concrete.
						Trialpit Complete at 2.200m

Remarks: 1. No groundwater encountered. 2. Trial pit terminated at 2.20 m on concrete obstruction in made ground.

Stability: Unstable throughout.

Eastwood&Partners CONSULTING ENGINEERS						TrialPit No TP07 Sheet 1 of 1	
Project Name Newark Road			Project No. 46924		Co-ords: 451565.86 - 358480.47 Level: 157.70		Date 24/03/2022
Location: Sutton-in-Ashfield					Dimensions: 2.00m		Scale 1:25
Client: Harron Homes Limited					Depth: 2.20m		Logged ACR
Samples & In Situ Testing			Depth (m)	Level (m AOD)	Legend	Stratum Description	
Depth (m)	Type	Results					
0.20	ES		0.15	157.55		TOPSOIL: Brown silty sandy CLAY with rootless.	
0.40	ES					MADE GROUND: Red brown clayey silty gravelly fine to medium SAND. Gravel of angular to sub angular fine to coarse sandstone and brick [reworked].	
1.20	ES		1.20	156.50		MADE GROUND: Dark brown grey silty very gravelly fine to medium SAND with medium cobble content and plastics, scrap metal, rubber, wire and wood fragments. Gravel of angular fine to coarse brick, slate, and sandstone. Cobbles of whole and half brick, concrete. Difficult digging. Faint volatile paint-like odour.	
			2.20	155.50		Trialpit Complete at 2.200m	
Remarks: 1. No groundwater encountered. 2. Trial Pit terminated at 2.20 m on concrete obstruction in made ground.							
Stability: Unstable throughout.							

Project Name	Project No.	Co-ords: 451503.29 - 358421.05	Date
Newark Road	46924	Level: 155.70	24/03/2022
Location: Sutton-in-Ashfield	Dimensions: 2.00m 0.60m		Scale
Client: Harron Homes Limited	Depth: 2.00m		1:25 Logged ACR

Samples & In Situ Testing			Depth (m)	Level (m AOD)	Legend	Stratum Description	Rock
Depth (m)	Type	Results					
0.30	ES		0.35	155.35		TOPSOIL: Brown silty sandy CLAY with rootless.	
			0.50	155.20		MADE GROUND: Red brown silty fine to medium SAND [reworked].	
						MADE GROUND: Dark brown grey silty very gravelly CLAY with medium cobble content and plastics, scrap metal, rubber, wire and wood fragments. Gravel of angular fine to coarse brick, slate, red shale and sandstone. Cobbles of whole and half brick.	
1.20	ES		2.00	153.70		Trialpit Complete at 2.000m	

Remarks:	1. No groundwater encountered. 2. Trial Pit terminated at 2.00 m at target depth in made ground.
----------	--

Stability: Unstable throughout.

								TrialPit No TP09 Sheet 1 of 1	
Project Name Newark Road				Project No. 46924		Co-ords: 451476.59 - 358402.11 Level: 152.00		Date 16/03/2022	
Location: Sutton-in-Ashfield						Dimensions: 2.00m		Scale 1:25	
Client: Harron Homes Limited						Depth: 3.60m		Logged	

Samples & In Situ Testing			Depth (m)	Level (m AOD)	Legend	Stratum Description		
Depth (m)	Type	Results						
0.20	ES		0.30	151.70		TOPSOIL: Dark brown clayey fine to medium SAND with rootlets.		
0.60	ES		0.80	151.20			MADE GROUND: Creamish red brown clayey fine to medium SAND [reworked].	
1.40	ES		3.60	148.40			MADE GROUND: Dark grey brown silty sandy GRAVEL with organic odour. Gravel of angular fine to coarse red shale, brick, sandstone glass, wood, ceramic and scrap metal with low cobble content of whole and half brick.	1
						Trialpit Complete at 3.600m		2
								3
								4

Remarks: 1. Groundwater encountered at 2.80 m. 2. Trial pit terminated at 3.60 m at target depth in made ground.	
Stability: Unstable throughout.	

Project Name Newark Road	Project No. 46924	Co-ords: 451517.84 - 358395.08 Level: 153.70	Date 24/03/2022
Location: Sutton-in-Ashfield	Dimensions: 2.00m Depth: 2.80m		Scale 1:25
Client: Harron Homes Limited			Logged ACR

Samples & In Situ Testing			Depth (m)	Level (m AOD)	Legend	Stratum Description
Depth (m)	Type	Results				
0.20	ES		0.30	153.40		TOPSOIL: Brown silty sandy CLAY with rootless.
						Red brown silty fine to medium SAND with cobble sized stiff clay pockets [weathered Lenton Sandstone Formation].
1.80	ES		1.80	151.90		Red brown silty gravelly fine to medium SAND. Gravel of angular to sub angular fine to coarse sandstone [weathered Lenton Sandstone Formation].
2.40	ES		2.70	151.00		Weak Red brown SANDSTONE [Lenton Sandstone Formation]
			2.80	150.90		Trialpit Complete at 2.800m

Remarks: 1. No groundwater encountered. 2. Trial Pit terminated at 2.80 m on bedrock.	
Stability: Stable.	

				TrialPit No TP11 Sheet 1 of 1			
Project Name Newark Road			Project No. 46924		Co-ords: 451555.46 - 358435.66 Level: 156.70		Date 28/03/2022
Location: Sutton-in-Ashfield					Dimensions: 2.00m		Scale 1:25
Client: Harron Homes Limited					Depth: 2.60m		Logged ACR

Samples & In Situ Testing			Depth (m)	Level (m AOD)	Legend	Stratum Description
Depth (m)	Type	Results				
0.20	B		0.30	156.40		TOPSOIL: Brown sandy CLAY with rootlets.
0.20	ES					MADE GROUND: Brown silty slightly gravelly fine to medium SAND. Gravel of sub angular fine to medium sandstone and brick [reworked].
0.80	ES		1.20	155.50		MADE GROUND: Dark brown grey silty very gravelly fine to coarse SAND with medium cobble content and wood, scrap metal and plastics. Gravel of angular fine to coarse brick, mudstone, sandstone, concrete. Cobbles of brick and concrete.
1.80	ES					MADE GROUND: Dark brown grey silty very gravelly fine to coarse SAND with medium cobble content and wood, scrap metal and plastics. Gravel of angular fine to coarse brick, mudstone, sandstone, concrete. Cobbles of brick and concrete.
			2.60	154.10		Trialpit Complete at 2.600m

Remarks: 1. No groundwater encountered. 2. Trial Pit terminated at 2.60 m at target depth in made ground.	
Stability: Unstable throughout.	

Eastwood&Partners CONSULTING ENGINEERS						TrialPit No TP12 Sheet 1 of 1	
Project Name Newark Road			Project No. 46924		Co-ords: 451603.82 - 358469.45 Level: 158.80		Date 24/03/2022
Location: Sutton-in-Ashfield					Dimensions: 2.00m		Scale 1:25
Client: Harron Homes Limited					Depth: 2.60m		Logged ACR
Samples & In Situ Testing			Depth (m)	Level (m AOD)	Legend	Stratum Description	
Depth (m)	Type	Results					
0.10	ES		0.25	158.55		TOPSOIL: Brown silty sandy CLAY with rootless.	
0.40	ES					MADE GROUND: Red brown clayey silty gravelly fine to medium SAND. Gravel of angular to sub angular fine to coarse sandstone and brick [reworked].	
1.40	ES		1.00	157.80		MADE GROUND: Dark brown grey silty very gravelly fine to medium SAND with medium cobble content and plastics, scrap metal, rubber, wire and wood fragments. Gravel of angular fine to coarse brick, slate, and sandstone. Cobbles of whole and half brick, concrete. Faint hydrocarbon odour.	
			2.60	156.20		Trialpit Complete at 2.600m	
Remarks: 1. No groundwater encountered. 2. Trial Pit terminated at 2.60 m at target depth in made ground.							
Stability: Unstable throughout.							

						TrialPit No TP13 Sheet 1 of 1	
Project Name Newark Road			Project No. 46924		Co-ords: 451628.56 - 358455.84 Level: 160.20		Date 24/03/2022
Location: Sutton-in-Ashfield					Dimensions: 2.00m		Scale 1:25
Client: Harron Homes Limited					Depth: 2.00m		Logged ACR

Samples & In Situ Testing			Depth (m)	Level (m AOD)	Legend	Stratum Description
Depth (m)	Type	Results				
0.20	ES		0.25	159.95		TOPSOIL: Brown silty sandy CLAY with rootless.
0.50	ES					MADE GROUND: Red brown clayey silty gravelly fine to medium SAND. Gravel of angular to sub angular fine to coarse sandstone and brick [reworked].
1.60	ES		1.20	159.00		MADE GROUND: Dark brown grey silty very gravelly fine to medium SAND with medium cobble content and plastics, scrap metal, rubber, wire and wood fragments. Gravel of angular fine to coarse brick, slate, and sandstone. Cobbles of whole and half brick, concrete. Faint hydrocarbon odour.
			2.00	158.20		Trialpit Complete at 2.000m

Remarks: 1. No groundwater encountered. 2. Trial Pit terminated at 2.00 m at target depth in made ground.	
Stability: Unstable throughout.	

Project Name
Newark Road

Project No.
46924

Co-ords: 451605.09 - 358424.08
Level: 157.80

Date
16/03/2022

Location:	Sutton-in-Ashfield
-----------	--------------------

Dimensions:	2.00m
-------------	-------

Scale
1:25

Client: Harron Homes Limited

Depth:
2.80m

0.60m

2.00m

Logged

Samples & In Situ Testing			Depth (m)	Level (m AOD)	Legend	Stratum Description
Depth (m)	Type	Results				
0.20	ES					TOPSOIL: Dark brown clayey fine to medium SAND with rootlets.
			0.40	157.40		MADE GROUND: Red brown silty fine to medium SAND [REWORKED].
0.90	ES		0.60	157.20		MADE GROUND: Dark grey brown silty sandy GRAVEL with organic odour and scrap metal, plastic bags, wooden posts and steel rebar. Gravel of angular fine to coarse red shale, mudstone, brick, sandstone, concrete, glass and wood. shale, brick, sandstone glass, wood, ceramic and scrap metal with low cobble content of whole and half brick.
2.10	ES					
			2.80	155.00		Trialpit Complete at 2.800m

Remarks:	1. No groundwater encountered. 2. Trial pit terminated at 2.80 m at target depth in made ground.
----------	--

Stability: Unstable throughout.

Eastwood&Partners CONSULTING ENGINEERS						TrialPit No TP15 Sheet 1 of 1	
Project Name Newark Road			Project No. 46924		Co-ords: 451569.60 - 358409.97 Level: 156.50		Date 16/03/2022
Location: Sutton-in-Ashfield					Dimensions: 2.00m		Scale 1:25
Client: Harron Homes Limited					Depth: 3.70m		Logged
Samples & In Situ Testing			Depth (m)	Level (m AOD)	Legend	Stratum Description	
Depth (m)	Type	Results					
0.20	ES		0.25	156.25		TOPSOIL: Dark brown clayey fine to medium SAND with rootlets.	
0.80	ES					MADE GROUND: Dark grey brown silty sandy GRAVEL with TPH and solvent-like/ paint odour and scrap metal, plastic bags, wooden posts and steel rebar. Gravel of angular fine to coarse red shale, mudstone, brick, sandstone, concrete, glass and wood. shale, brick, sandstone glass, wood, ceramic and scrap metal with low cobble content of whole and half brick.	
3.20	ES		3.70	152.80		Trialpit Complete at 3.700m	
Remarks: 1. No groundwater encountered. 2. Trial pit terminated at 3.70 at target depth in made ground.							
Stability: Unstable throughout.							

						TrialPit No TP16 Sheet 1 of 1	
Project Name Newark Road			Project No. 46924		Co-ords: 451682.23 - 358457.38 Level: 165.10		Date 16/03/2022
Location: Sutton-in-Ashfield					Dimensions: 2.00m		Scale 1:25
Client: Harron Homes Limited					Depth: 2.30m		Logged

Samples & In Situ Testing			Depth (m)	Level (m AOD)	Legend	Stratum Description	
Depth (m)	Type	Results					
0.20	ES		0.25	164.85		TOPSOIL: Brown clayey fine to medium SAND with rootlets.	
0.40	ES		0.50	164.60		MADE GROUND: Red brown fine to medium SAND [reworked].	
0.80	ES		2.30	162.80		MADE GROUND: Dark grey brown silty sandy GRAVEL with organic odour and scrap metal, plastic bags, wooden posts and steel rebar. Gravel of angular fine to coarse red shale, mudstone, brick, sandstone, concrete, glass and wood. shale, brick, sandstone glass, wood, ceramic and scrap metal with low cobble content of whole and half brick.	
						Trialpit Complete at 2.300m	

Remarks: 1. No groundwater encountered. 2. Trial pit terminated at 2.30m on concrete obstruction in made ground.	
Stability: Unstable throughout.	

Project Name	Project No.	Co-ords: 451653.75 - 358435.97	Date
Newark Road	46924	Level: 161.20	24/03/2022
Location: Sutton-in-Ashfield	Dimensions: 2.00m 0.60m		Scale
Client: Harron Homes Limited			Logged ACR

Samples & In Situ Testing			Depth (m)	Level (m AOD)	Legend	Stratum Description
0.20	ES		0.30	160.90		TOPSOIL: Brown silty fine to medium SAND with rootless.
0.60	ES		0.90	160.30		MADE GROUND: Red brown clayey silty gravelly fine to medium SAND. Gravel of angular to sub angular fine to coarse sandstone and brick [reworked].
1.10	ES					MADE GROUND: Dark brown grey silty very gravelly CLAY with medium cobble content and plastics, scrap metal, rubber, wire and wood fragments. Gravel of angular fine to coarse brick, slate, red shale and sandstone. Cobbles of whole and half brick. Faint hydrocarbon odour. <u>Concrete obstruction coving southern side of pit base, at 1.10 m.</u>
			2.20	159.00		Trialpit Complete at 2.200m

Remarks:	1. No groundwater encountered. 2. Trial Pit terminated at 2.20 m at target depth in made ground.
----------	--

Stability: Unstable throughout.

Project Name Newark Road	Project No. 46924	Co-ords: 451507.75 - 358320.84 Level: 149.30	Date 28/03/2022
Location: Sutton-in-Ashfield	Dimensions: 2.00m Depth: 3.00m		Scale 1:25
Client: Harron Homes Limited			Logged ACR

Samples & In Situ Testing			Depth (m)	Level (m AOD)	Legend	Stratum Description
Depth (m)	Type	Results				
0.30	ES		0.45	148.85		TOPSOIL: Brown clayey fine to medium SAND with rootlets.
1.30	ES		2.20	147.10		Grey light brown fine to medium SAND [weathered Lenton Sandstone Formation].
						Becoming red brown below 1.10 m.
			2.90	146.40		Red-brown gravelly fine to medium SAND. Gravel of sub angular fine to coarse sandstone [weathered Lenton Sandstone Formation].
			3.00	146.30		Weak Red brown SANDSTONE [Lenton Sandstone Formation].
						Trialpit Complete at 3.000m

Remarks: 1. No groundwater encountered. 2. Trial Pit terminated at 3.00 m on bedrock.

Stability: Stable.

Project Name Newark Road	Project No. 46924	Co-ords: 451603.76 - 358367.99 Level: 152.30	Date 24/03/2022
Location: Sutton-in-Ashfield	Dimensions: 2.00m Depth: 2.90m		Scale 1:25
Client: Harron Homes Limited			Logged ACR

Samples & In Situ Testing			Depth (m)	Level (m AOD)	Legend	Stratum Description
Depth (m)	Type	Results				
0.30	ES		0.30	152.00		TOPSOIL: Brown silty sandy CLAY with rootless.
0.80	ES					Red brown silty gravelly fine to medium SAND. Gravel of angular to sub angular fine to coarse sandstone [weathered Lenton Sandstone Formation].
			2.80	149.50		Weak Red brown SANDSTONE [Lenton Sandstone Formation]
			2.90	149.40		Trialpit Complete at 2.900m

Remarks: 1. No groundwater encountered. 2. Trial Pit terminated at 2.90 m on bedrock.	
Stability: Stable.	

						TrialPit No TP20a Sheet 1 of 1	
Project Name Newark Road			Project No. 46924		Co-ords: 451682.98 - 358380.49 Level: 160.40		Date 24/03/2022
Location: Sutton-in-Ashfield					Dimensions: 2.00m		Scale 1:25
Client: Harron Homes Limited					Depth: 2.40m		Logged ACR

Samples & In Situ Testing			Depth (m)	Level (m AOD)	Legend	Stratum Description
Depth (m)	Type	Results				
0.20	ES		0.30	160.10		TOPSOIL: Brown silty sandy CLAY with rootless. Red brown silty gravelly fine to medium SAND. Gravel of angular to sub angular fine to coarse sandstone [weathered Lenton Sandstone Formation].
1.10	ES		2.30	158.10		Weak Red brown SANDSTONE [Lenton Sandstone Formation]
			2.40	158.00		Trialpit Complete at 2.400m

Remarks: 1. No groundwater encountered. 2. Trial Pit terminated at 2.40 m on bedrock.	
Stability: Stable.	

Eastwood&Partners CONSULTING ENGINEERS						TrialPit No TP20b Sheet 1 of 1	
Project Name Newark Road			Project No. 46924		Co-ords: 451723.68 - 358411.61 Level: 162.90		Date 24/03/2022
Location: Sutton-in-Ashfield					Dimensions: 2.00m		Scale 1:25
Client: Harron Homes Limited					Depth: 2.90m		Logged ACR
Samples & In Situ Testing			Depth (m)	Level (m AOD)	Legend	Stratum Description	
Depth (m)	Type	Results					
0.20	ES		0.25	162.65		TOPSOIL: Brown silty fine to medium SAND with rootless.	
0.90	ES					MADE GROUND: Red brown clayey silty gravelly fine to medium SAND. Gravel of angular to sub angular fine to coarse sandstone and brick [reworked].	
1.30	ES		1.20	161.70		MADE GROUND: Dark brown grey silty very gravelly fine to medium SAND with medium cobble content and plastics, scrap metal, rubber, wire and wood fragments. Gravel of angular fine to coarse brick, slate, and sandstone. Cobbles of whole and half brick, concrete.	
			2.90	160.00		Trialpit Complete at 2.900m	
Remarks: 1. No groundwater encountered. 2. Trial Pit terminated at 2.90 m due to side wall collapse in made ground.							
Stability: Unstable throughout.							

Project Name
Newark Road

Project No.
46924

Co-ords: 451707.87 - 358398.95
Level: 165.00

Date
24/03/2022

Location:	Sutton-in-Ashfield
-----------	--------------------

Dimensions: 2.00m

Scale
1:25

Client: Harron Homes Limited

Depth:
2.90m

0.60m

2.00m

Logged
ACR

Samples & In Situ Testing			Depth (m)	Level (m AOD)	Legend	Stratum Description
Depth (m)	Type	Results				
			0.35	164.65		TOPSOIL: Brown silty slightly gravelly fine to medium SAND with rootless. Gravel of rounded fine to medium quartzite
			0.80	164.20		MADE GROUND: Red brown clayey silty gravelly fine to medium SAND. Gravel of angular to sub angular fine to coarse sandstone and brick [reworked].
			2.90	162.10		MADE GROUND: Dark brown grey silty very gravelly fine to medium SAND with medium cobble content and plastics, scrap metal, rubber, wire and wood fragments. Gravel of angular fine to coarse brick, slate, and sandstone. Cobbles of whole and half brick, concrete.
						Trialpit Complete at 2.900m

Remarks: 1. No groundwater encountered. 2. Trial Pit terminated at 2.90 m due to side wall collapse in made ground. 3. Not sampled.

Stability: Unstable throughout.

Eastwood&Partners CONSULTING ENGINEERS								TrialPit No TP20d Sheet 1 of 1	
Project Name Newark Road				Project No. 46924		Co-ords: 451696.02 - 358390.00 Level: 167.80		Date 24/03/2022	
Location: Sutton-in-Ashfield						Dimensions: 2.00m		Scale 1:25	
Client: Harron Homes Limited						Depth: 1.80m		Logged ACR	
Samples & In Situ Testing			Depth (m)	Level (m AOD)	Legend	Stratum Description			
Depth (m)	Type	Results							
			0.30	167.50		TOPSOIL: Brown silty slightly gravelly fine to medium SAND with rootless. Gravel of rounded fine to medium quartzite			
			0.70	167.10		MADE GROUND: Red brown clayey silty gravelly fine to medium SAND. Gravel of angular to sub angular fine to coarse sandstone and brick [reworked].			
						MADE GROUND: Dark brown grey silty very gravelly fine to medium SAND with medium cobble content and plastics, scrap metal, rubber, wire and wood fragments. Gravel of angular fine to coarse brick, slate, and sandstone. Cobbles of whole and half brick, concrete.			
			1.20	166.60		Red brown clayey silty gravelly fine to medium SAND. Gravel of angular to sub angular fine to coarse sandstone [weathered Lenton Sandstone Formation].			
1.80			1.80	166.00		Trialpit Complete at 1.800m			
Remarks: 1. No groundwater encountered. 2. Trial Pit terminated at 1.80 m at target depth after locating high wall. 3. Not sampled.									
Stability: Unstable to 1.20 m in made ground.									

Project Name Newark Road	Project No. 46924	Co-ords: 451753.94 - 358369.32 Level: 168.00	Date 16/03/2022
Location: Sutton-in-Ashfield	Dimensions: 2.00m Depth: 3.60m		Scale 1:25
Client: Harron Homes Limited			Logged

Samples & In Situ Testing			Depth (m)	Level (m AOD)	Legend	Stratum Description
Depth (m)	Type	Results				
0.20	ES		0.35	167.65		TOPSOIL: Brown clayey fine to medium SAND with rootlets.
0.60	ES		0.80	167.20		MADE GROUND: Grey brown silty sandy GRAVEL of angular fine to coarse brick, concrete and sandstone with plastic bags and scrap metal.
2.10	ES		2.30	165.70		Red brown fine to medium SAND [weathered Lenton Sandstone Formation].
			3.50	164.50		Orange brown slightly gravelly fine to coarse SAND. Gravel of angular to sandstone fine to coarse sandstone [weathered Lenton Sandstone Formation].
			3.60	164.40		Weak orange brown SANDSTONE [Lenton Sandstone Formation].
						Trialpit Complete at 3.600m

Remarks: 1. No groundwater encountered. 2. Trial pit terminated at 3.60 m on bedrock.	
Stability: Unstable to 0.80 m in made ground.	

Eastwood&Partners CONSULTING ENGINEERS								TrialPit No TP22 Sheet 1 of 1		
Project Name Newark Road				Project No. 46924		Co-ords: 451722.89 - 358316.84 Level: 160.50			Date 28/03/2022	
Location: Sutton-in-Ashfield						Dimensions: 2.00m			Scale 1:25	
Client: Harron Homes Limited						Depth: 3.20m			Logged ACR	
Samples & In Situ Testing			Depth (m)	Level (m AOD)	Legend	Stratum Description				
Depth (m)	Type	Results								
0.30	ES		0.35	160.15		TOPSOIL: Brown clayey fine to medium SAND with rootlets.				
						Red brown fine to medium SAND [weathered Lenton Sandstone Formation].				
1.20	ES		1.10	159.40		Red brown gravelly fine to medium SAND. Gravel of sub angular fine to coarse sandstone [weathered Lenton Sandstone Formation].				
			3.10	157.40		Weak grey red brown SANDSTONE [Lenton Sandstone Formation].				
			3.20	157.30		Trialpit Complete at 3.200m				
Remarks: 1. No groundwater encountered. 2. Trial Pit terminated at 3.20 m on bedrock.										
Stability: Stable.										

Eastwood&Partners CONSULTING ENGINEERS						TrialPit No TP23 Sheet 1 of 1	
Project Name Newark Road			Project No. 46924		Co-ords: 451657.26 - 358313.78 Level: 156.00		Date 16/03/2022
Location: Sutton-in-Ashfield					Dimensions: 2.00m		Scale 1:25
Client: Harron Homes Limited					Depth: 2.40m		Logged
Samples & In Situ Testing			Depth (m)	Level (m AOD)	Legend	Stratum Description	
Depth (m)	Type	Results					
0.20	ES		0.30	155.70		TOPSOIL: Brown silty slightly gravelly fine to medium SAND. Gravel of rounded fine to coarse quartzite.	
0.90	ES		1.50	154.50		Red brown fine to medium SAND with firm to stiff cobble-sized clay pockets [weathered Lenton Sandstone Formation].	
						Light cream brown gravelly fine to coarse SAND. Gravel of sub angular fine to coarse sandstone [weathered Lenton Sandstone Formation].	
						Weak light reddish brown weathered SANDSTONE [Lenton Sandstone Formation].	
			2.30	153.70			
			2.40	153.60		Trialpit Complete at 2.400m	
Remarks: 1. No groundwater encountered. 2. Trial pit terminated at 2.40 m on bedrock.							
Stability: Stable.							

				TrialPit No TP24 Sheet 1 of 1			
Project Name Newark Road			Project No. 46924		Co-ords: 451590.23 - 358266.85 Level: 152.00		Date 28/03/2022
Location: Sutton-in-Ashfield					Dimensions: 2.00m		Scale 1:25
Client: Harron Homes Limited					Depth: 2.50m		Logged ACR

Samples & In Situ Testing			Depth (m)	Level (m AOD)	Legend	Stratum Description
Depth (m)	Type	Results				
0.20	ES		0.30	151.70		TOPSOIL: Brown clayey fine to medium SAND with rootlets. Red-brown gravelly fine to medium SAND. Gravel of sub angular fine to coarse sandstone [weathered Lenton Sandstone Formation].
0.80	ES					
			2.40	149.60		Weak Red brown SANDSTONE [Lenton Sandstone Formation].
			2.50	149.50		Trialpit Complete at 2.500m

Remarks: 1. No groundwater encountered. 2. Trial Pit terminated at 2.50 m on bedrock.						
Stability: Stable.						

				TrialPit No TP25 Sheet 1 of 1			
Project Name Newark Road			Project No. 46924		Co-ords: 451594.62 - 358186.35 Level: 152.30		Date 17/03/2022
Location: Sutton-in-Ashfield					Dimensions: 2.00m		Scale 1:25
Client: Harron Homes Limited					Depth: 2.60m		Logged

Samples & In Situ Testing			Depth (m)	Level (m AOD)	Legend	Stratum Description
Depth (m)	Type	Results				
0.20	ES		0.25	152.05	 TOPSOIL: Brown silty slightly gravelly fine to medium SAND. Gravel of rounded fine to coarse quartzite.	
1.60	ES				 Red orange brown gravelly fine to medium SAND. Gravel of sub angular fine to coarse sandstone [weathered Lenton Sandstone Formation].	
			2.50	149.80	 Weak red brown SANDSTONE [Lenton Sandstone Formation].	
			2.60	149.70	Trialpit Complete at 2.600m	

Remarks: 1. No groundwater encountered. 2. Trial pit terminated at 2.60 m on bedrock.	
Stability: Stable.	

						TrialPit No TP26 Sheet 1 of 1	
Project Name Newark Road			Project No. 46924		Co-ords: 451672.99 - 358248.23 Level: 157.00		Date 28/03/2022
Location: Sutton-in-Ashfield					Dimensions: 2.00m		Scale 1:25
Client: Harron Homes Limited					Depth: 2.20m		Logged ACR

Samples & In Situ Testing			Depth (m)	Level (m AOD)	Legend	Stratum Description
Depth (m)	Type	Results				
0.10	ES		0.35	156.65		TOPSOIL: Brown clayey fine to medium SAND with rootlets. Red brown fine to medium SAND [weathered Lenton Sandstone Formation].
0.90	ES		1.40	155.60		Red brown gravelly slightly clayey fine to medium SAND. Gravel of sub angular fine to coarse sandstone [weathered Lenton Sandstone Formation].
			2.10	154.90		Weak grey red brown SANDSTONE [Lenton Sandstone Formation].
			2.20	154.80		Trialpit Complete at 2.200m

Remarks: 1. No groundwater encountered. 2. Trial Pit terminated at 2.20 m on bedrock.	
Stability: Stable.	

Eastwood&Partners CONSULTING ENGINEERS						TrialPit No TP27 Sheet 1 of 1	
Project Name Newark Road			Project No. 46924		Co-ords: 451670.85 - 358183.03 Level: 155.80		Date 28/03/2022
Location: Sutton-in-Ashfield					Dimensions: 2.00m		Scale 1:25
Client: Harron Homes Limited					Depth: 2.10m		Logged ACR
Samples & In Situ Testing			Depth (m)	Level (m AOD)	Legend	Stratum Description	
Depth (m)	Type	Results					
0.10	ES		0.15	155.65		TOPSOIL: Brown clayey fine to medium SAND with rootlets.	
						Red brown fine to medium SAND [weathered Lenton Sandstone Formation].	
			1.10	154.70		Red brown gravelly fine to medium SAND. Gravel of sub angular fine to coarse sandstone [weathered Lenton Sandstone Formation].	
1.40	ES		2.00	153.80		Weak grey red brown SANDSTONE [Lenton Sandstone Formation].	
			2.10	153.70		Trialpit Complete at 2.100m	
Remarks: 1. No groundwater encountered. 2. Trial Pit terminated at 2.10 m on bedrock.							
Stability: Stable.							

				TrialPit No TP28 Sheet 1 of 1			
Project Name Newark Road			Project No. 46924		Co-ords: 451754.65 - 358243.89 Level: 161.00		Date 17/03/2022
Location: Sutton-in-Ashfield					Dimensions: 2.00m		Scale 1:25
Client: Harron Homes Limited					Depth: 2.30m		Logged

Samples & In Situ Testing			Depth (m)	Level (m AOD)	Legend	Stratum Description	
Depth (m)	Type	Results					
0.30	ES		0.35	160.65		TOPSOIL: Brown silty slightly gravelly fine to medium SAND. Gravel of rounded fine to coarse quartzite.	
1.40	ES					Red brown slightly silty fine to medium SAND [weathered Lenton Sandstone Formation].	1
			2.20	158.80		Weak red brown SANDSTONE [Lenton Sandstone Formation].	2
			2.30	158.70		Trialpit Complete at 2.300m	3
							4

Remarks: 1. No groundwater encountered. 2. Trial pit terminated at 2.30 m on bedrock.

Stability: Stable.

Eastwood&Partners CONSULTING ENGINEERS								TrialPit No TP29 Sheet 1 of 1		
Project Name Newark Road				Project No. 46924		Co-ords: 451814.87 - 358257.80 Level: 167.50			Date 28/03/2022	
Location: Sutton-in-Ashfield						Dimensions: 2.00m			Scale 1:25	
Client: Harron Homes Limited						Depth: 2.20m			Logged ACR	
Samples & In Situ Testing			Depth (m)	Level (m AOD)	Legend	Stratum Description				
Depth (m)	Type	Results								
0.20	ES		0.30	167.20		TOPSOIL: Brown clayey fine to medium SAND with rootlets.				
1.20	ES					Red-brown gravelly fine to medium SAND. Gravel of sub angular fine to coarse sandstone [weathered Lenton Sandstone Formation].				
			2.10	165.40		Weak grey red brown SANDSTONE [Lenton Sandstone Formation].				
			2.20	165.30		Trialpit Complete at 2.200m				
Remarks: 1. No groundwater encountered. 2. Trial Pit terminated at 2.20 m on bedrock.										
Stability: Stable.										

								TrialPit No TP30 Sheet 1 of 1	
Project Name Newark Road				Project No. 46924		Co-ords: 451756.95 - 358179.78 Level: 158.30		Date 28/03/2022	
Location: Sutton-in-Ashfield						Dimensions: 2.00m		Scale 1:25	
Client: Harron Homes Limited						Depth: 2.60m		Logged ACR	

Samples & In Situ Testing			Depth (m)	Level (m AOD)	Legend	Stratum Description	
Depth (m)	Type	Results					
0.10 0.15	ES B		0.25	158.05		TOPSOIL: Brown clayey fine to medium SAND with rootlets.	
						Red grey brown fine to medium SAND [weathered Lenton Sandstone Formation].	
1.20	ES		1.10	157.20		Red brown gravelly fine to medium SAND. Gravel of sub angular fine to coarse sandstone [weathered Lenton Sandstone Formation].	1
			2.50	155.80		Weak grey red brown SANDSTONE [Lenton Sandstone Formation].	
			2.60	155.70		Trialpit Complete at 2.600m	
							2
							3
							4

Remarks: 1. No groundwater encountered. 2. Trial Pit terminated at 2.60 m on bedrock.		
Stability: Stable.		

Project Name Newark Road	Project No. 46924	Co-ords: 451728.86 - 358123.62 Level: 156.20	Date 17/03/2022
Location: Sutton-in-Ashfield	Dimensions: 2.00m Depth: 2.70m		Scale 1:25
Client: Harron Homes Limited			Logged

Samples & In Situ Testing			Depth (m)	Level (m AOD)	Legend	Stratum Description
Depth (m)	Type	Results				
0.10	ES		0.35	155.85		TOPSOIL: Brown silty slightly gravelly fine to medium SAND. Gravel of rounded fine to coarse quartzite.
1.50	ES					Red brown silty fine to medium SAND with cobble-sized firm to stiff clay lenses [weathered Lenton Sandstone Formation].
			2.60	153.60		Weak red brown SANDSTONE [Lenton Sandstone Formation].
			2.70	153.50		Trialpit Complete at 2.700m

Remarks: 1. No groundwater encountered. 2. Trial pit terminated at 2.70 m on bedrock.	
Stability: Stable.	

Project Name Newark Road	Project No. 46924	Co-ords: 451678.94 - 358084.36 Level: 153.20	Date 28/03/2022
Location: Sutton-in-Ashfield	Dimensions: 2.00m Depth: 3.30m		Scale 1:25
Client: Harron Homes Limited			Logged ACR

Samples & In Situ Testing			Depth (m)	Level (m AOD)	Legend	Stratum Description
Depth (m)	Type	Results				
0.20 0.20	B ES		0.40	152.80		TOPSOIL: Brown clayey fine to medium SAND with rootlets.
1.40	ES					Red-brown gravelly fine to medium SAND. Gravel of sub angular fine to coarse sandstone and rounded fine to coarse quartzite [weathered Lenton Sandstone Formation].
			3.20	150.00		Weak Red brown SANDSTONE [Lenton Sandstone Formation].
			3.30	149.90		Trialpit Complete at 3.300m

Remarks: 1. Groundwater encountered at 2.20 m. 2. Trial Pit terminated at 3.30 m on bedrock.

Stability: Stable.

Project Name Newark Road	Project No. 46924	Co-ords: 451636.99 - 358044.71 Level: 152.80	Date 17/03/2022
Location: Sutton-in-Ashfield	Dimensions: 2.00m Depth: 2.90m		Scale 1:25
Client: Harron Homes Limited			Logged

Samples & In Situ Testing			Depth (m)	Level (m AOD)	Legend	Stratum Description	
Depth (m)	Type	Results					
0.10	ES		0.30	152.50		TOPSOIL: Brown silty slightly gravelly fine to medium SAND with rootlets. Gravel of rounded fine to coarse quartzite.	
0.90	ES					Red brown slightly silty fine to medium SAND [weathered Lenton Sandstone Formation].	1
			2.80	150.00		Weak red brown SANDSTONE [Lenton Sandstone Formation].	
			2.90	149.90		Trialpit Complete at 2.900m	3
							4

Remarks: 1. Groundwater encountered at 2.10 m. 2. Trial pit terminated at 2.90 m on bedrock.

Stability: Stable.

Eastwood&Partners CONSULTING ENGINEERS								TrialPit No TP34 Sheet 1 of 1			
Project Name Newark Road				Project No. 46924		Co-ords: 451545.28 - 358048.01 Level: 152.50			Date 17/03/2022		
Location: Sutton-in-Ashfield						Dimensions: 2.00m			Scale 1:25		
Client: Harron Homes Limited						Depth: 2.70m			Logged		
Samples & In Situ Testing			Depth (m)	Level (m AOD)	Legend	Stratum Description					
Depth (m)	Type	Results									
0.20	ES		0.30	152.20		TOPSOIL: Brown silty slightly gravelly fine SAND with rootlets. Gravel of rounded fine to coarse quartz.					
1.40	ES					Red brown fine to medium SAND [weathered Lenton Sandstone Formation].					
			2.60	149.90		Weak red brown SANDSTONE [Lenton Sandstone Formation].					
			2.70	149.80		Trialpit Complete at 2.700m					
Remarks: 1. No groundwater encountered. 2. Trial pit terminated at 2.70 m on bedrock.											
Stability: Stable.											

Eastwood&Partners CONSULTING ENGINEERS							TrialPit No TP35 Sheet 1 of 1	
Project Name Newark Road				Project No. 46924		Co-ords: 451529.36 - 357977.40 Level: 156.35		Date 17/03/2022
Location: Sutton-in-Ashfield						Dimensions: 2.00m		Scale 1:25
Client: Harron Homes Limited						Depth: 2.20m		Logged
Samples & In Situ Testing			Depth (m)	Level (m AOD)	Legend	Stratum Description		
Depth (m)	Type	Results						
0.10	ES		0.25	156.10		TOPSOIL: Brown silty slightly gravelly fine to medium SAND with rootlets. Gravel of rounded fine to coarse quartzite.		
0.80	ES					Red brown occasionally creamish fine to medium SAND [weathered Lenton Sandstone Formation].		
			2.10	154.25		Weak red brown SANDSTONE [Lenton Sandstone Formation].		
			2.20	154.15		Trialpit Complete at 2.200m		
Remarks: 1. No groundwater encountered. 2. Trial pit terminated at 2.20 m on bedrock.								
Stability: Stable.								

Eastwood&Partners CONSULTING ENGINEERS							TrialPit No TP36 Sheet 1 of 1	
Project Name Newark Road				Project No. 46924		Co-ords: 451595.45 - 357890.43 Level: 159.60		Date 17/03/2022
Location: Sutton-in-Ashfield						Dimensions: 2.00m		Scale 1:25
Client: Harron Homes Limited						Depth: 3.10m		Logged
Samples & In Situ Testing			Depth (m)	Level (m AOD)	Legend	Stratum Description		
Depth (m)	Type	Results						
0.20	ES		0.30	159.30		TOPSOIL: Brown clayey silty slightly gravelly fine to medium SAND with rootlets. Gravel of rounded medium to coarse quartzite.		
1.20	ES					Red brown fine to medium SAND [weathered Lenton Sandstone Formation].		
			3.00	156.60		Weak red brown SANDSTONE [Lenton Sandstone Formation].		
			3.10	156.50		Trialpit Complete at 3.100m		
Remarks: 1. No groundwater encountered. 2. Trial pit terminated at 3.10 m on bedrock.								
Stability: Stable.								

				TrialPit No TP37 Sheet 1 of 1			
Project Name Newark Road			Project No. 46924		Co-ords: 451614.97 - 357975.75 Level: 158.00		Date 17/03/2022
Location: Sutton-in-Ashfield					Dimensions: 2.00m		Scale 1:25
Client: Harron Homes Limited					Depth: 2.80m		Logged

Samples & In Situ Testing			Depth (m)	Level (m AOD)	Legend	Stratum Description
Depth (m)	Type	Results				
0.20	ES		0.30	157.70		TOPSOIL: Brown silty slightly gravelly fine to medium SAND. Gravel of rounded fine to coarse quartzite.
1.40	ES					Red brown occasionally creamish fine to medium SAND with cobble-sized firm to stiff clay lenses [weathered Lenton Sandstone Formation].
			2.70	155.30		Weak red brown SANDSTONE [Lenton Sandstone Formation].
			2.80	155.20		Trialpit Complete at 2.800m

Remarks: 1. No groundwater encountered. 2. Trial pit terminated at 2.80 m on bedrock.	
Stability: Stable.	

Project Name
Newark Road

Project No.
46924

Co-ords: 451698.66 - 357951.94
Level: 161.40

Date
17/03/2022

Location:	Sutton-in-Ashfield
-----------	--------------------

Dimensions:	2.00m
-------------	-------

Scale
1:25


Client: Harron Homes Limited

Depth:
3.00m

0.60m

2.00m

Logged

Samples & In Situ Testing			Depth (m)	Level (m AOD)	Legend	Stratum Description
Depth (m)	Type	Results				
0.10	ES		0.30	161.10		TOPSOIL: Brown silty fine to medium SAND with rootlets.
						Red brown occasionally creamish fine to medium SAND with cobble-sized firm to stiff clay lenses [weathered Lenton Sandstone Formation].
0.90	ES					
			2.90	158.50		Weak red brown SANDSTONE [Lenton Sandstone Formation].
			3.00	158.40		Trialpit Complete at 3.000m

Remarks: 1. No groundwater encountered. 2. Trial pit terminated at 3.00 m on bedrock.

Stability: Stable.

Project Name Newark Road	Project No. 46924	Co-ords: 451723.27 - 358003.89 Level: 155.30	Date 28/03/2022
Location: Sutton-in-Ashfield	Dimensions: 2.00m Depth: 2.90m		Scale 1:25
Client: Harron Homes Limited			Logged ACR

Samples & In Situ Testing			Depth (m)	Level (m AOD)	Legend	Stratum Description
Depth (m)	Type	Results				
0.10	ES		0.30	155.00		TOPSOIL: Brown slightly clayey slightly gravelly fine to medium SAND with rootlets. Gravel of rounded fine to coarse quartzite.
0.90	ES					Red-brown gravelly fine to medium SAND. Gravel of sub angular fine to coarse sandstone and rounded fine to coarse quartzite [weathered Lenton Sandstone Formation].
			2.80	152.50		Weak Red brown SANDSTONE [Lenton Sandstone Formation].
			2.90	152.40		Trialpit Complete at 2.900m

Remarks: 1. No groundwater encountered. 2. Trial Pit terminated at 2.90 m on bedrock.

Stability: Stable.

						TrialPit No TP40 Sheet 1 of 1	
Project Name Newark Road			Project No. 46924		Co-ords: 451769.19 - 358081.54 Level: 157.20		Date 28/03/2022
Location: Sutton-in-Ashfield					Dimensions: 2.00m		Scale 1:25
Client: Harron Homes Limited					Depth: 3.10m		Logged ACR

Samples & In Situ Testing			Depth (m)	Level (m AOD)	Legend	Stratum Description
Depth (m)	Type	Results				
0.30	ES		0.45	156.75		TOPSOIL: Brown clayey fine to medium SAND with rootlets.
1.60	ES					Red-brown gravelly fine to medium SAND with rare firm to stiff clay pockets. Gravel of sub angular fine to coarse sandstone [weathered Lenton Sandstone Formation].
			3.00	154.20		Weak grey red brown SANDSTONE [Lenton Sandstone Formation].
			3.10	154.10		Trialpit Complete at 3.100m

Remarks: 1. No groundwater encountered. 2. Trial Pit terminated at 3.10 m on bedrock.	
Stability: Stable.	

Eastwood&Partners CONSULTING ENGINEERS						TrialPit No TP41 Sheet 1 of 1	
Project Name Newark Road			Project No. 46924		Co-ords: 451884.16 - 358135.45 Level: 170.30		Date 17/03/2022
Location: Sutton-in-Ashfield					Dimensions: 2.00m		Scale 1:25
Client: Harron Homes Limited					Depth: 1.90m		Logged
Samples & In Situ Testing			Depth (m)	Level (m AOD)	Legend	Stratum Description	
Depth (m)	Type	Results					
0.10	ES		0.20	170.10		TOPSOIL: Brown silty slightly gravelly fine to medium SAND. Gravel of rounded fine to coarse quartzite.	
0.80	ES					Red brown occasionally creamish fine to medium SAND [weathered Lenton Sandstone Formation].	
			1.80	168.50		Weak red brown SANDSTONE [Lenton Sandstone Formation].	
			1.90	168.40		Trialpit Complete at 1.900m	
Remarks: 1. No groundwater encountered. 2. Trial pit terminated at 1.90 m on bedrock.							
Stability: Stable.							

Project Name Newark Road	Project No. 46924	Co-ords: 451884.16 - 358135.45 Level: 173.00	Date 28/03/2022
Location: Sutton-in-Ashfield	Dimensions: 2.00m Depth: 2.60m		Scale 1:25
Client: Harron Homes Limited			Logged ACR

Samples & In Situ Testing			Depth (m)	Level (m AOD)	Legend	Stratum Description
Depth (m)	Type	Results				
0.10	ES		0.30	172.70		TOPSOIL MADE GROUND: Brown slightly gravelly cobble fine to medium SAND with rootlets. Gravel of angular fine to coarse sandstone and cobbles of whole and half brick.
0.90	ES					Red-brown gravelly fine to medium SAND. Gravel of sub angular fine to coarse sandstone [weathered Lenton Sandstone Formation].
			2.60	170.40		Trialpit Complete at 2.600m

Remarks: 1. No groundwater encountered. 2. Trial Pit terminated at 2.60 m at maximum reach of machine.

Stability: Stable.

Project Name Newark Road	Project No. 46924	Co-ords: 451741.17 - 358028.24 Level: 1546.00	Date 28/03/2022
Location: Sutton-in-Ashfield	Dimensions: 1.80m Depth: 2.40m		Scale 1:25
Client: Harron Homes Limited			Logged ACR

Samples & In Situ Testing			Depth (m)	Level (m AOD)	Legend	Stratum Description
Depth (m)	Type	Results				
			0.30	1545.70		TOPSOIL: Brown slightly clayey slightly gravelly fine to medium SAND with rootlets. Gravel of rounded fine to coarse quartzite.
			1.40	1544.60		MADE GROUND: Brown silty slightly gravelly fine to medium SAND. Gravel of sub angular fine to medium sandstone and brick [reworked].
						6" culvert at 0.60 m.
			2.40	1543.60		Red-brown SAND AND GRAVEL. Gravel of rounded fine to coarse quartzite. SAND is fine to medium [weathered Lenton Sandstone Formation].
						Trialpit Complete at 2.400m

Remarks: 1. Trial Pit excavated above marked culvert position. 2. 6' culvert, fully silted up, encountered 0.60 m bgl. 2. No groundwater encountered. 2. Trial Pit terminated at 1.60 m at target depth.	
Stability: Unstable to 1.40 m in made ground.	

						TrialPit No TT02 Sheet 1 of 1	
Project Name Newark Road			Project No. 46924		Co-ords: 451671.56 - 358405.02 Level: 161.00		Date 28/03/2022
Location: Sutton-in-Ashfield					Dimensions: 3.50m		Scale 1:25
Client: Harron Homes Limited					Depth: 2.40m		Logged ACR

Samples & In Situ Testing			Depth (m)	Level (m AOD)	Legend	Stratum Description
Depth (m)	Type	Results				
			0.25	160.75		TOPSOIL: Brown clayey fine to medium SAND with rootlets.
			1.20	159.80		MADE GROUND: Brown silty slightly gravelly fine to medium SAND. Gravel of sub angular fine to medium sandstone and brick [reworked].
			2.40	158.60		MADE GROUND: Dark brown grey silty very gravelly fine to coarse SAND with medium cobble content and wood, scrap metal and plastics. Gravel of angular fine to coarse brick, mudstone, sandstone, concrete. Cobbles of brick and concrete. <i>Concrete boulder at 1.20 m.</i>
						Trialpit Complete at 2.400m

Remarks: 1. Trial trench excavated perpendicular to estimated high wall location. 2. High wall located at 451671.56 358405.02. Steep sided made ground contact in Western Pit face, see photographs. 3. No groundwater encountered. 4. Trial trench terminated at 2.40 m at target depth.	
Stability: Unstable throughout.	

Project Name
Newark Road

Project No.
46924

Co-ords: 451519E - 358502N

Hole Type
RO

Location: Sutton-in-Ashfield

Level: 156.30

Scale
1:100

Client: Harron Homes Limited

Dates: 25/03/2022

Logged By
ACR

Well	Water Strikes	Sample and In Situ Testing			Depth (m)	Level (m)	Legend	Stratum Description	
		Depth (m)	Type	Results					
					1.00	155.30	FILL.		1
							SAND.		2
									3
									4
					5.00	151.30	SANDSTONE.		5
									6
									7
									8
									9
									10
									11
									12
									13
									14
					15.00	141.30	End of Borehole at 15.000m		15
									16
									17
									18
									19

Remarks

1. No groundwater encountered. 2. Borehole terminated at 15.00 on bedrock.

Project Name
Newark Road

Project No.
46924

Co-ords: 451584E - 358510N

Hole Type
RO

Location: Sutton-in-Ashfield

Level: 154.43

Scale
1:100

Client: Harron Homes Limited

Dates: 25/03/2022

Logged By
ACR

Well	Water Strikes	Sample and In Situ Testing			Depth (m)	Level (m)	Legend	Stratum Description	
		Depth (m)	Type	Results					
								FILL.	1
									2
									3
									4
									5
									6
									7
									8
									9
					10.00	144.43			10
								SANDSTONE.	11
									12
									13
									14
					15.00	139.43			15
								End of Borehole at 15.000m	16
									17
									18
									19
		Type		Results					

Remarks

1. No groundwater encountered. 2. Borehole terminated at 15.00 on bedrock.